allaway

Feel your clean home



Feel your clean home

Allaway central vacuum cleaners are a secure choice when you want to keep your home clean. According to studies, a central vacuum cleaner is the best option for those who value clean indoor air. When the exhaust air is directed away from living areas while vacuuming, you are only left with fresh air and a clean home. The central vacuum cleaner is easy and comfortable to use, and you can choose from a variety of different cleaning equipment that help you keep your home clean.



Learn more about different models and find the perfect fit for your home!




Home is where the Allaway central vacuum cleaner is

Up here in the Nordics, we have always valued our homes. It does not matter whether you live in a block of flats or a detached house. Your home may be new or old, and it may be on one or more levels. The Finnish Allaway central vacuum cleaner is suited to all homes – whatever they may be like.

The Allaway selection caters to every need. You can choose your favourite from our extensive range of central vacuum cleaners.

Allaway's mission is to make everyday cleaning easier and more efficient, with an even cleaner end result. Our products are made to last, and if taken care of properly, the central vacuum cleaner is a trusty, long-term partner for your cleaning needs.



Five reasons to choose a central vacuum cleaner

The central vacuum cleaner is ideal for each one of us, whether you live in a terraced house, block of flats or a detached house. Installation is easy and can even be carried out in a finished flat.

Cleaning with the central vacuum cleaner is quiet, because the central unit is located away from the areas where you are cleaning, e.g. in a utility room or broom closet.

Vacuuming will not leave behind a stuffy smell, because the exhaust air is directed out of the flat, keeping indoor air fresh.

Functional cleaning equipment ensures quick and effective cleaning. The ergonomic and light handle makes it easy to clean hard-to-reach places, such as above tables, cabinets and curtain rails.

The central vacuum cleaner is a durable, long-term investment. It raises the value of your property.

10–20 l


The large dust canister will not need to be emptied frequently.

Allaway central units

The high-quality Allaway central units are durable and built to make vacuuming comfortable and easy. The vacuuming experience is dependent on what the handle, nozzles and hose are like, but the central unit and the choice of dust piping also affect the end result. Allaway manufactures integrated comprehensive systems where each part of the system is carefully designed. Because of all this, all parts of the system work seamlessly together, ensuring a long and reliable operating life.







Use the new Allaway app to monitor your Z 45i or Z 55i model in action!

Forerunner of vacuuming

When designing the new Allaway Z and X series central vacuum cleaners, we wanted to combine comfort of use, durability and Scandinavian design with efficiency. Special attention has been paid to each detail, both with regard to appearance and function. The innovative solutions of this product family make installation, maintenance, emptying the dust canister and especially cleaning easier and more comfortable than ever.

New smart handle

The smart handle communicates wirelessly with models Z 45i and Z 55i. You can start your central unit easily directly from the smart handle. It also features five-step power control, which makes vacuuming very comfortable. The handle will remind you when to empty the central unit's dust container, change the filter or perform other maintenance on the vacuum cleaner.



allaway

New Z and X series vacuum cleaners

In models Z 45i and Z 55i, the vacuum cleaner can be connected with the Allaway mobile app using Bluetooth. You can use the app to monitor the number of times you vacuum, the duration of your vacuuming, energy consumption and the status of the device. The application will show you information about maintaining your device; when the filter needs to be changed, the dust canister emptied and other possible maintenance measures performed.

Making your home smarter

The Z 55i and Z 45i central vacuum cleaners can also be connected to your home automation system. The central unit offers a modbus RTU interface for automation systems. Information concerning the machine's operation, need for changing the filter, emptying the dust canister and possible functional disruptions and maintenance needs can be transmitted through this interface.

Information concerning the operation of models Z, X and C can be transmitted to the ventilation machine, in which case it adjusts the amount of supply air automatically whenever you vacuum.



A wall bracket is delivered along with Z and X series central units.

More wall inlets at your disposal

The wall inlet for models Zi and Z enables using the vacuum cleaner in the central unit's installation space, which will expand the areas and locations in which the vacuum cleaner can be used.





Revolutionary fastening

The central vacuum cleaners are attached using wall brackets. Input and exhaust air can be conducted to the wall bracket from either direction. The central unit is fixed easily onto the bracket with the help of the new sturdy click-on attachment.

With or without a dust bag

Using a dust bag in the dust canister will make emptying the container cleaner and more hygienic. Dust bags are available as accessories to Z and X series models.





A large dust canister – easy to empty

The sturdy handles and the installation of the canister in any position of the Zi and Z models make emptying the dust canister easy.



Z 55i
The smart and functional central unit designed for medium-sized and large houses, where the length of the pipeline from the central unit to the farthest wall inlet is up to 55 m.



Z 45i
The smart and functional central unit designed for medium-sized and large houses, where the length of the pipeline from the central unit to the farthest wall inlet is up to 45 m.



Z 55
An advanced option for medium and large houses, where the length of the pipeline from the central unit to the farthest wall inlet is up to 55 m.



Z 45
An advanced option for medium and large houses, where the length of the pipeline from the central unit to the farthest wall inlet is up to 45 m.



Z 35
An advanced option for medium-sized houses, where the length of the pipeline from the central unit to the farthest wall inlet is up to 35 m.



X 50
The X 50 central unit is designed for medium-sized and large homes where the length of the pipeline from the central unit to the farthest wall inlet is up to 55 m.



X 40
The X 40 central unit is designed for medium-sized homes where the length of the pipeline from the central unit to the farthest wall inlet is up to 35 m.



X 30
The X 30 central unit is designed for small homes where the length of the pipeline from the central unit to the farthest wall inlet is up to 30 m.



The Z and X series central units are delivered with the new wall bracket. Input and exhaust air can be conducted to the wall bracket from either direction. The central unit is attached to the bracket with a new click-on connection, and the input and exhaust airpipes are installed in place.



A central unit replacement package is available as an accessory. You can check with our customer service whether the replacement package can be used to replace a central vacuum unit manufactured by other manufacturers.

Central unit comparison table

	Z 55i	Z 45i	Z 55	Z 45	Z 35	X 50	X 40	X 30	C 40 Premium LCD	C 40 Premium	C 30 Premium	Duo	M 1000
[1] Suction hose length m	55	45	55	45	35	55	35	30	45	45	35	30	50
[2] Electrical power max W	1,900	1,600	1,900	1,600	1,600	1,900	1,600	1,300	1,700	1,700	1,800	1,400	1,600
[2] Air power max W	770	680	770	680	620	770	620	520	670	670	610	550	670
[3] Noise level Lp dB(A) +/- 2dB	64	64	64	64	64	64	64	64	57	57	57	58	70
[2] Low pressure kPa max	32	30	32	30	29	32	29	28	32	32	30	29	37
Size of the dust canister l	20	20	20	20	20	14	14	14	13	13	13	10	20
Integrated wall inlet	X	X	X	X	X	-	-	-	-	-	-	-	-
Dust bag option	X	X	X	X	X	X	X	X	X	X	X	Standard	X
Soft Start	X	X	-	-	-	-	-	-	X	-	-	-	X
Dimensions mm (width x height)	345 x 780	345 x 780	345 x 780	345 x 780	345 x 780	375 x 575	375 x 575	375 x 575	350 x 595	350 x 595	350 x 595	440 x 300	370 x 750
Weight kg	9	9	8.5	8.5	8.5	7	7	7	8	8	8	5.5	14
Installation space mm (width x height)	445 x 929	445 x 929	445 x 929	445 x 929	445 x 929	445 x 724	445 x 724	445 x 724	450 x 700	450 x 700	450 x 700	460 x 460	1,000 x 1,415
Modbus-RTU interface	X	X	-	-	-	-	-	-	-	-	-	-	-
Operation data for the ventilation system	X	X	X	X	X	X	X	X	X	X	X	X**	X**
Return valve	X	X	X	X	X	-	-	-	X	X	X	-	-
Splash-proof IPx4	-	-	-	-	-	-	-	-	-	X	X	-	-
Suitable for installation inside a cupboard	X	X	X	X	X	X	X	X	X	X	X	X	-
Fuse size	10 A ~16	10 A ~16	10 A ~16	10 A ~16	10 A ~16	10 A ~16	10 A ~16	10 A ~16	10 A ~16	10 A ~16	10 A ~16	10 A ~16	10 A ~16
Operating voltage min–max V~50 Hz	207–244	207–244	207–244	207–244	207–244	207–244	207–244	207–244	207–244	207–244	207–244	207–244	207–244

[1] the distance between the central unit and the furthest wall inlet measured along the pipeline
[2] measured from the turbine
[3] measured according to the IEC 60704 standard
[4] bottom installed against the wall

Allaway's central units are attached to wall sockets protected with a 10 A (plug) or 16 A automatic fuse.

) Operation indicator (*80805***) available as an accessory.

Clean, naturally

Allaway's mission is to make everyday cleaning easier and more efficient, with an even cleaner end result. The quality of the air that leaves your vacuum cleaner matters. Allaway believes that the best approach is to lead the exhaust air out of habitable spaces. That is why the best option for you is to choose an Allaway central vacuum cleaner.

Allaway has always been a long-term, ecological choice for keeping your home clean. The Finnish Allaway central vacuum cleaner is built to last, and if taken care of properly, it is a sturdy long-term partner in keeping your home clean. When used correctly, the high-quality parts can have a service life as long as several traditional vacuum cleaners combined.

Allaway operations are guided by the ISO 9001:2015 quality management system and ISO 14001:2015 environmental management system standards. The purpose of Allaway's operations is to produce durable and reliable products as economically and efficiently as possible while meeting the quality requirements and following the principles of sustainable development.

Now, the familiar high quality of Allaway is accompanied by Scandinavian design and advanced intelligent features. We are happy to have you as our customer!

allaway

Allaway Oy
Kangasvuorentie 32, PO Box 3, 40351 Jyväskylä, FINLAND
Tel. +358 (0)20 7210 600 | E-mail: info@allaway.com
www.allaway.com

*Call charges when calling a number starting with 020: from a landline €0.0835/call + €0.1669/min from a mobile phone €0.0835/call + €0.1669/min. When calling from outside of Finland: normal international call charges
Copyright Allaway Oy. All rights reserved.

14117 MA0086EN Rev01 06.19